

# Scarborough Series® Window Hoods

Louvreclad Scarborough Series® features 20mm modular sun blades and window shrouds. Customizable profiles offer rectangular, ellipsoid, and bullet configurations for horizontal or vertical fins. Ideal for elegant, low-maintenance architectural shading.

## Features

### PERFORMANCE

#### Effective Sun Shading

20mm modular sun blades provide substantial sun protection. Engineered for horizontal and vertical mounting, offering versatile shading solutions.

### AESTHETICS

#### Architectural Elegance

Slim profile with diverse configurations including rectangular, ellipsoid, and bullet panels. Available in powder-coated, anodised, or timber-look finishes for a distinctive look.

### DESIGN

#### Versatile and Customisable

Suitable for window shrouds and fins with variable blade pitch and angle. Engineered for up to 3m vertical spans, delivered ready-made for single-trade installation.

## Specifications

### INSTALLATION

Installation and mounting details will be designed in accordance with proprietary systems and recommendations as designed and manufactured by Louvreclad.

# Explore the profile options

## Scarborough Series®

Modular sun blade and window shroud system



20 mm  
DEPTH

## Scarborough 200 Panel

Scarborough 200mm Modular Panel



200 mm  
DEPTH

20 mm  
THICKNESS

## Scarborough 250 Panel

Scarborough 250mm Modular Panel



250 mm  
DEPTH

20 mm  
THICKNESS

## Scarborough 300 Panel

Scarborough 300mm Modular Panel



300 mm  
DEPTH

20 mm  
THICKNESS

## Scarborough 450 Panel

Scarborough 450mm Modular Panel



450 mm  
DEPTH

20 mm  
THICKNESS

## Scarborough 300 Bullet

Scarborough 300mm Bullet



300 mm  
DEPTH

20 mm  
THICKNESS

# Scarborough 400 Bullet



400 mm  
DEPTH

20 mm  
THICKNESS

Scarborough 400mm  
Bullet

# Scarborough 300 Ellipsoid



300 mm  
DEPTH

20 mm  
THICKNESS

Scarborough 300mm  
Ellipsoid

# Scarborough 450 Ellipsoid



450 mm  
DEPTH

20 mm  
THICKNESS

Scarborough 450mm  
Ellipsoid

## Technical Data Disclaimer

- Indicative maximum span provided are based on generic permissible design wind pressure of 2kPa.
- Span values and product technical information provided are subjected to variance by project specific requirements & influence factors such building location, terrain category & local pressure effects.
- Span values provided are based on typical scenario where product specified are fixed at one end; simply supported at the other end and in either horizontal or vertical orientation.
- If the product specified is required to function as barrier for fall protection or as trafficable element, maximum span and pitch nominated may be reduced.
- Spans values provided could be influenced and reduced when used in dynamically sensitive wind environment.
- For project specific product selection or preliminary design & engineering consultation, please contact 1300 165 678 or [sales@louvreclad.com](mailto:sales@louvreclad.com) to arrange or book a meeting.




## Inspire with Quality

As leaders in the building envelope market, we are known for exceptional quality and lasting value. Our credibility, wealth of knowledge, and unmatched competence enable us to inspire exterior solutions that look good and perform better.



## The MadeRight Guarantee

Following our proven process enables us to develop solutions we're proud to put our mark of quality to. We guarantee that all projects will be delivered in a timely manner, be on specification, engineered to Australian standards and finished to the highest quality.



## Made to Perform

Louvreclad solutions are made to last and manufactured on-site using high-quality Australian aluminium and steel. As an organisation we are driven to get a thousand things right everyday to achieve our vision to be the face of Australian Building. Our facades are not here to be average, they are here to perform – and so are we.

# Speak to an expert

Reach out today to discuss your facade solution requirements; we would love to hear from you.



Made to Perform

1300 165 678

[sales@louvrecld.com](mailto:sales@louvrecld.com)

[louvrecld.com](http://louvrecld.com)